



MINUTES
BOARD OF FIRE COMMISSIONERS
Regular Meeting – July 8, 2025

ATTENDEES: Chairman Marc Komorsky
Commissioner Robert Taft
Commissioner Vincent Tierney
Deputy Chief Scott Merritt
Treasurer Mark Pozniak (Via Teams)
Greg Bolner (via Teams)

Commissioner Barry Ward (via Teams)
Commissioner Anthony Pignataro
Deputy Chief Bryan Zittel
Secretary Bria Le
Attorney Michael Hekle (via Teams)

At 6:01 pm, Chairman Komorsky called the Board of Fire Commissioners Regular Meeting to order for Tuesday, July 8, 2025, and led the Pledge of Allegiance. He welcomed everyone in attendance. He stated that at 6:30 there would be a guest coming in to discuss one of the reports that they have received, so the agenda may be out of order.

MINUTES: - 6/24/25 Regular Meeting and the 6/27/25 Special Meeting

Upon a MOTION made by Commissioner Pignataro, and SECONDED by Commissioner Tierney, the Board RESOLVED to approve the 6/24/25 Regular Meeting Minutes. Pignataro – Aye, Taft -Aye, Tierney– Aye, Komorsky - Aye. **Motion Carried.**

Upon a MOTION made by Commissioner Pignataro, and SECONDED by Commissioner Tierney, the Board RESOLVED to approve the 6/27/25 Special Meeting Minutes. Pignataro – Aye, Taft -Aye, Tierney– Aye, Komorsky - Aye. **Motion Carried.**

CORRESPONDENCE:

- There was a check from Little Lamb Family Daycare Inc. in the amount of \$450.00 for CPR classes.

Upon a MOTION made by Commissioner Pignataro, and SECONDED by Commissioner Taft, the Board RESOLVED to deposit the \$450.00 check from Little Lamb Family Daycare, Inc. into the General Fund. Pignataro – Aye, Taft -Aye, Tierney– Aye, Komorsky - Aye. **Motion Carried.**

ROOM USE REQUESTS:

None at this time.

OLD BUSINESS/UNRESOLVED ITEMS:

- Station 1 Building Update– Commissioner Ward stated that with the adjustments based upon the room size, they were waiting for a response from the general contractor this evening. It has not yet arrived. As soon as it does, he will let the Board know. If it is within the allowance they will go forward with it as long as it does not change the total allocated funds for the contract. The second item is that they are still waiting to hear back from the vendors on the electrical work consolidation panel to clean up some of the electrical work in the back. They have not heard back from the electrical contractor on that as of yet either. The third thing is that they did get the asbestos report in. It has been given to the Board for their review. Michael O’Rourke is on the phone now to go over it if they want to discuss it as part of the Station 1 update. Chairman Komorsky asked if there was any

BoFC Regular Meeting 7/08/25

Please note that this meeting was conducted in person at 504 Freedom Plains Road in Poughkeepsie, NY AND open for public viewing and/or listening via Microsoft Teams.



LAGRANGE FIRE DISTRICT

504 Freedom Plains Rd • Poughkeepsie, NY 12603



objection to discussing this report at this time and there were none. Mr. Rourke stated there was some asbestos survey work that was performed before he got involved. He got involved with some of the lead aspect of some of the paint from the building and the concerns there. They did turn out to be unfounded. Then they started to discuss the asbestos piece and his suggestion was that they determine what they are dealing with building wide. Upon the Board's approval, he did go ahead and do that. The one thing they did find that was previously unidentified is of a suspended ceiling in the kitchen area and the area directly behind that. That gypsum board ceiling is basically exposed. The one in the kitchen has the 2 x 4 ceiling tiles up but it is the same ceiling. The gypsum board is not asbestos but the joint compound at the seams is positive. The gypsum board and the compound above the ceiling in the kitchen look fine and listed in good condition. There is some damage to the sheet rock ceiling in the bar room in the back. A few of those holes are right up against spaces where there is joint compound. He did have to list those materials as damaged. That was the concern that Greg from CPL has raised as well. Mr. O'Rourke is concerned the damage is relatively minor unless there is something that has occurred since he has been in there last. Commissioner Tierney asked if he also tested the big room. Commissioner Ward stated there was a prior study done on the big room. This study was primarily everywhere else. They did do asbestos abatement as part of the original project. Everything in the original contract has already been abated. Chairman Komorsky stated they do not have a ceiling into the room anymore. Commissioner Ward stated before they demolished it they had the asbestos abatement in there with the vacuum environment all set up and had it removed. Commissioner Tierney stated Mr. O'Rourke is talking about the sheet rock ceiling above the tiles. He believes that means that the sheet rock was not checked on the first report. And he has a feeling that means they did not check the sheet rock in the big room either. Mr. O'Rourke stated he could not speak to that because they were doing clean demo by the time he came into this project. Mr. O'Rourke stated there was not an issue with any of the other sheet rock compound, which was much newer. He stated top ceiling in the kitchen and the old bar room with the gypsum board was negative on the board but positive on the compound and you would not just get rid of the compound. You would rip out the whole thing. If you were going to go the route of abatement you would take out the whole ceiling in its entirety. He is not stating that they have to but that is how it would be done if they chose to. Commissioner Tierney asked if that was his recommendation. Mr. O'Rourke stated if they do go that route they will have to take out the whole ceiling, not just the joint compound. He stated the condition it was in when he saw it last was damaged but not substantially damaged. It is relatively minor damage. He stated they could put another suspended ceiling up in there and make sure that anybody who did work up there knew what they were encountering if they had to go back up there. He stated the other way of dealing with it would be to decide they do not want to deal with it going down the road to just fix it now. If they do choose to go that route he strongly recommends that they take the ceiling in the kitchen out as well. Chairman Komorsky asked if Mr. O'Rourke had a rough idea of the cost to remediate those two areas. Mr. O'Rourke stated that the time of the year they decide to do it comes into play, but if he had to give a ballpark number it would be approximately \$10,000. That would be to do both areas. Commissioner Ward stated the only area that is currently under contract that is showing asbestos in his report is the old bar area. The kitchen area is not part of this project right now. Mr. O'Rourke stated he could get number later this week or early next week. Chairman Komorsky stated he would appreciate that. Mr. O'Rourke stated it would be a rough number within 10 or 15%. Commissioner Pignataro asked if the report discussed any occupational hazards of those areas. Mr. O'Rourke stated just the stuff that is required under the EPA regulations, which is just the basic issues that asbestos can cause. This is not a spray on fireproofing issue with

BoFC Regular Meeting 7/08/25

Please note that this meeting was conducted in person at 504 Freedom Plains Road in Poughkeepsie, NY AND open for public viewing and/or listening via Microsoft Teams.



LAGRANGE FIRE DISTRICT

504 Freedom Plains Rd • Poughkeepsie, NY 12603



delaminating. This is the most common sort. He believes it is 1.4% in that joint compound, which is not a lot. As far as the risks, he does not believe it is any more than going into any other building of that vintage. He stated that if that were a major concern, it is something that a contamination assessment would go a long way helping to solve. That would be running air samples as well to see if there any issue he stated unless they have done any physical work on the ceiling that has caused further damage that what he originally saw, he is not inclined to say they even need to do that at this point. Commissioner Tierney would like to see the big room tested as well since it was built at the same time. Commissioner Ward stated they did asbestos abatement in the large room already. Commissioner Tierney stated it was only done for the ceiling tiles and the floor, not the area that Mr. O'Rourke discovered, which is the ceiling above the tile ceiling. Commissioner Ward stated this report is not so much about where they found asbestos as it is about what the plan is to how it relates to addressing it. Mr. O'Rourke has not addressed that yet. Commissioner Tierney stated it should be added on to the report to see if anything needs to be done with it. Chairman Komorsky asked Mr. O'Rourke if he was willing to come back out and test the compound in the large room that they are already working on. Mr. O'Rourke said yes. He could do it late tomorrow morning. He will see what he can do about billing and they will also incur the cost of the sampling.

Upon a MOTION made by Commissioner Tierney, and SECONDED by Commissioner Pignataro, the Board RESOLVED to authorize Quest to sample the compound in the large room. Pignataro – Aye, Taft -Aye, Tierney– Aye, Komorsky - Aye. **Motion Carried.**

Commissioner Tierney asked if the tiles in the floor were asbestos. Mr. O'Rourke stated there are some floor tiles that have been previously identified so he did not do any samplings. If the Board is inclined to get rid of the asbestos flooring it would save a lot of funds to do it all at one time. Commissioner Tierney stated he believes it should be all done and at one time. Commissioner Ward asked if before they go into an additional discussion, to have Mr. O'Rourke explain the initial reason for this report, which is a plan around having asbestos which is section 7, 8, 9,10,and 11. Commissioner Taft asked if they should incorporate this into the Phase 2 of the firehouse renovations. Mr. O'Rourke stated there is a common misconception that if you find asbestos you have to get rid of it. That is not the case. There are millions of buildings in this country where they are safely and competently managing their asbestos containing building material and the Fire District can continue to do the same. Just because there is asbestos flooring in the buildings does not mean they have to get rid of it. If it is going to impede anything being done then they would have to deal with it but the flooring as it is will last a lot longer than whatever they would be putting in now. As long as they are not drilling through it it should not be a problem. Part of the Management Plan is letting people who are working in and having someone that they need to be able to ask questions to. If it was in mechanical rooms or electrical rooms then those areas would need to be posted with signage but there are no such areas like that here. There is not a boiler room loaded with pipe insulation. They can manage it in place and will not be an issue. It is basic floor care. People doing that work should be aware of what the materials are and what type of low abrasion pads were etc. should be used. Managing it in place is the most common thing that people do. If, however, it is something that is going to impede future construction that would be something else. Commissioner Ward stated there are certain areas where sheet rock will be up in the ceiling and that is something they may not have to do anything about. Mr. O'Rourke stated that is very possible. Commissioner Ward stated even if the big room is not clean it may not require any action because there will never be any contacts or work being done out there and it will come down to a if they want to do it. Mr. O'Rourke stated the one thing he wanted to point out is if they were going to leave a

BoFC Regular Meeting 7/08/25

Please note that this meeting was conducted in person at 504 Freedom Plains Road in Poughkeepsie, NY AND open for public viewing and/or listening via Microsoft Teams.



LAGRANGE FIRE DISTRICT

504 Freedom Plains Rd • Poughkeepsie, NY 12603



sheet rock ceiling with positive compound in place at some point if there are penetrations made to the ceiling they can do that without impacting the asbestos-containing material, they just have to stay away from the joint compound. Commissioner Taft asked if there was asbestos as in the big room could it just be covered with adhesive of some sort. Mr. O'Rourke stated you technically could but under current New York State rules if they are to encapsulate it you have to do all of the same prep work you were to do if you were to remove it. Financially that makes no sense. There are some rules about covering old floor tile with new floor tile, which is legal to do and there are other things to do if it is a joint compound to make sure it is not exposed. That still requires all of the prep work like building a decon area, doing the poly sheeting, and the next thing you know you could be doing the abatement for 10% more. It is not a very viable option. He stated that overall there is not a ton of asbestos in the building. What is in there is in relatively good condition. He also sampled brick, concrete block, mortar, and poured concrete, all of which came back negative. Other than that one ceiling area, it is in good shape. He did ask if there was a 12 or 14-foot-step ladder in the building that he could utilize for tomorrow that would be helpful. The Deputy Chief stated there is one in the bays and they will get it out for him. Mr. Bolner stated he was glad the Board talked with Mr. O'Rourke as he was the one with more knowledge on this issue.

- Station 3 Storage Room – Commissioner Ward stated this is still a work in progress.

Mr. O'Rourke and Mr. Bolner left the meeting at 6:35 PM.

- Station 2 Septic – Commissioner Tierney stated the Board of Health sent back some comments on the engineering specifications. There are about 20 things that range from some missing punctuation to some bigger issues. Deputy Chief Zittel and Commissioner Tierney had a discussion with the engineers on the placement of where the Board of Health gave them three options. The first one is the original option where everything is already dug out, or they could expand the fields to where the on shift staff parks, or moving it up on the hill. They want to keep the same criteria. They really do not want to move it to the hill because then they have to take up all the material the Highway put up there. There is a meeting Wednesday at 10:30 AM when the engineers will be talking to the Board of Health to present those three options to see which ones they would like to go with. Their first choice would be option number 1 second would be expanding into the parking lot and third would be moving it onto the hill. The Board of Health does make the final decision. Chairman Komorsky stated they are allowed to make a suggestion as to which one there first choice is. Commissioner Tierney stated if they stay down here on this level they will have to move the monument and remove the tree. They are in the Indiana Bat preserve area so they would have to hire a biologist to see if it is a roosting area. Chairman Komorsky stated you are only allowed to cut down a tree in the back habitat area at certain times of the year. The good thing is it is in the middle of the field and the bats tend to like forest type areas. Commissioner Tierney stated the next part is they cannot do anything with the lot lines without having to merge parcels together. Commissioner Taft stated that is done. It is now one lot of 4.7 acres. Commissioner Tierney stated he has sent that to the engineer today. He stated once they get the Board of Health approval they can go out to competitively bid it. He spoke with Treasurer Pozniak who gave him the steps to start that. If they keep it at option one, that will be the cheapest. Option two will be a little bit more expensive. Option three would be a lot more expensive. They are hoping to stay with option one. Commissioner Pignataro asked if the monument could be put back on top of that if they go with option one and Commissioner Tierney

BoFC Regular Meeting 7/08/25

Please note that this meeting was conducted in person at 504 Freedom Plains Road in Poughkeepsie, NY AND open for public viewing and/or listening via Microsoft Teams.



LAGRANGE FIRE DISTRICT

504 Freedom Plains Rd • Poughkeepsie, NY 12603



said yes. They will probably have to pay for some landscaping at the end of the project. The stone on the monument is also cracked and might need some work. Commissioner Ward had the idea of putting it on the inner wall out by the War Memorial. That will require the House Committee to make a decision. Commissioner Tierney said they originally estimated at approximately 1000 gallons a week on the tank and based on what is being pumped out it is down to approximately 600 gallons a week. That does give them a bit of a buffer. Chairman Komorsky stated they should make it larger than what is necessarily needed right now to allow for future growth. Commissioner Tierney stated the fields are there but they will need to replace the tanks.

- Station 2 Brick Pointing –Commissioner Tierney stated the vendor has gotten very busy over the summer so this is still a work in progress. They are aiming for August.
- Staffing Community Events –Deputy Chief Zittel spoke with Chief Champion today who stated he did not have anything to report.
- Lexipol Policy Updates – Nothing at this time.
- Operational Software Overview -Nothing at this time.
- Diesel Tank Accessories –Nothing at this time.
- Grant Update –Nothing at this time.
- Grant Writing Update – Deputy Chief Zittel stated this is a work in progress.
- Building Repairs/Repair Requests – Chairman Komorsky asked if there was anything needing to be discussed that had not been discussed already. There were none.

NEW BUSINESS:

- Quest Report – Secretary Le stated this was discussed during the Station 1 report.

REPORTS: (by officers present)

- **Treasurer Pozniak** - Treasurer Pozniak stated the board should have the Bank Reconciliations for almost all of the accounts through May. There are still two accounts that are a few months behind, which are the EMS cost recovery account, which needs some more data to be entered, and the old money market account. He ran into some issues reconciling that that he needs to sort through first. He will be on vacation for a little bit so he is not sure these will be done by the next meeting. Chairman Komorsky stated the Board has to go over the Bank reconciliations through the Tompkins accounts.
- **Chief Anthony Champion was absent.**
- **Deputy Chief of EMS** – Deputy Chief Merritt stated right now they are due for their semiannual controlled substance inspection. He has reviewed all of the administration reports for the last six months and reconciled everything. With the assistance of Lieutenant Wern, they went through all

BoFC Regular Meeting 7/08/25

Please note that this meeting was conducted in person at 504 Freedom Plains Road in Poughkeepsie, NY AND open for public viewing and/or listening via Microsoft Teams.



LAGRANGE FIRE DISTRICT

504 Freedom Plains Rd • Poughkeepsie, NY 12603



of the controlled substance cabinets today. Chairman Komorsky was available to sign the State form before the start of tonight's meeting. He does hope to get that off to Dr. Feliz first thing in the morning for his signature so he can get it sent to the State. He is still continuing to work on a Par 80 Policy, which is the controlled substance policy. He is trying to get it so they can purchase their own controlled substances without having to go to the hospital so they have more control over it. It is still a work in progress that he is hoping to have complete by the end of the year. He has to send it off to some contacts at the State to see if they can review it. Chairman Komorsky asked if he felt that it was reasonable to have that done by December 31 and the Deputy Chief said yes. He will have more insight into it when he gets feedback from the State. He will keep the Board informed.

As far as notable incidents, last week a crew was caring for a patient suffering from a possible hip fracture. While they were trying to obtain narcotics from the safe the battery on the locker failed to open due to a low battery. The paramedic switched the patient care plan and the patient was transported to the hospital without further incident. Late last year Captain Demilto and the Deputy Chief arranged to have all the batteries in the compartment switched out. It is supposed to be done annually. They were told it was done. Unfortunately, that was a false statement. While the Deputy Chief was gone, Captain Demilto reconciled the issue with the paramedics and all of the batteries have been switched out, so it should not happen again. This is one issue they will speak about during executive session. Commissioner Pignataro asked if there was a key backup system and Deputy Chief Merritt stated it is a 2 key system. There is an electronic key that logs all of the information and a mechanical key. If the battery dies there is an audible alarm that goes off and a light, but no one recognized that was happening when the battery was low. Commissioner Tierney asked if there was any way to override that when the battery goes dead. Deputy Chief Merritt stated there is a place to put a 9-volt battery to get a temporary charge so you can get in. Chairman Komorsky stated some of these oversight issues could become very dangerous. Commissioner Taft stated it was a good thing they found it and it has been resolved.

Deputy Chief Merritt stated another notable incident was a dispatch for a woman in labor. Upon the crew's arrival they identified a female who was going to imminently deliver a child. The child was born in severe distress with no spontaneous respiratory efforts. The infant required vigorous resuscitation, including resuscitation, aggressive suctioning, and assistive ventilation and while this was going on the mother also needed advanced life-support care. The mother and child were transported urgently to a local hospital where they were turned over to the ER and NICU Team. The child was subsequently transported to another specialty hospital. He was reached out for updates and thinks the child is improving. Because of the aggressive care provided by the providers mother and child were alive at the hospital and he believes they are both still alive. The crew was FF/Medic Nate Trott, FF/Medic Diann Hackett, Lt. Randi Port and FF/EMT Rob Wells who were taking care of the child. The mother was attended by FF/Medic Thomas Cummings, FF/EMT Mike Mendez, and Chief Champion. FF/EMT David O'Dell and Capt. Demilto also assisted on the scene. Chairman Komorsky stated that on behalf of the Board of Fire Commissioners he would like to tell them all thanks for a fabulous job. Deputy Chief Merritt stated the child is alive simply because of the aggressive care of the paramedics. Commissioner Pignataro stated he believes a call involving an infant is one of the most stressful calls they can have so if anyone from the crew needs anyone to speak to the Board would be behind them all the way. Deputy Chief Merritt stated they have been doing contacts with all involved in the call to make sure everyone is doing well. Deputy Chief Zittel stated there are systems in place for that. Commissioner Tierney stated they did speak several months ago about putting something in staffs file when there is a call like

BoFC Regular Meeting 7/08/25

Please note that this meeting was conducted in person at 504 Freedom Plains Road in Poughkeepsie, NY AND open for public viewing and/or listening via Microsoft Teams.



LAGRANGE FIRE DISTRICT

504 Freedom Plains Rd • Poughkeepsie, NY 12603



this. Deputy Chief Merritt stated he does have something to do that he will bring to the Board when it is completed. Deputy Chief Zittel stated a letter from the Board goes a long way. Deputy Chief Merritt stated he also wanted to recognize Lieutenant Wern who rolled out the Neomate, the pediatric transport device that they just purchased. Because he took the initiative to get the training rolled out they were able to safely use it and get the infant transported quickly. Commissioner Pignataro asked for an update to the Board when the Deputy Chief gets it.

- **Deputy Chief of Fire** - Deputy Chief Zittel stated on July 1 the Fire District was dispatched to a house fire. The captain arrived on the scene with flames out the side of the building. They stretched one hose line and knocked down the fire on the side of the house. They did put crews inside to make sure there was no extension and everything was done very well. Commissioner Pignataro asked if the building was occupied at the time. The Deputy Chief said yes. There was a mother and child inside and the father was outside with a garden hose on the fire. Chairman Komorsky asked if he had the time from dispatch to arrival on scene and the Deputy Chief stated he would have to pull the report. Commissioner Pignataro asked if the residents had to be rescued and Deputy Chief Zittel stated no they were able to get out. Chairman Komorsky asked if the County investigative team came out and Deputy Chief Zittel stated they did their own investigation.

Deputy Chief Zittel stated Friday is Westchester Academy graduation. There is one commissioner and one firefighter there. The Utica graduates graduated last Monday. They have been working with them the past week on Policies and Procedures, expectations, reviewing equipment, and ropes and knots. Lieutenant Wern came in and did a Bloodborne class for them. This week they have started driving. They have been issued their pagers and radios. On Monday, this will start with the third cadet all over again.

In Chief Champion's absence, he has two Out of County training requests. Captain Kile and Lieutenant Wern would like to attend a course in Orange County as part of the Firefighter Training Series Instructor Authorization. This is a base class so after they have this they can take the Firefighter Safety and Bailout Training. They are trying to get more bailout instructors so this a prerequisite for that. There is no cost for the class just overtime for them to attend. Deputy Chief Zittel will be attending as well so they can use his vehicle.

Upon a MOTION made by Commissioner Pignataro, and SECONDED by Commissioner Tierney, the Board RESOLVED to allow Captain Kile and Lieutenant Wern to attend the Instructor Authorization Updates class in Orange County Training Center from September 27 through October 3. Pignataro – Aye, Taft -Aye, Tierney– Aye, Komorsky - Aye. **Motion Carried.**

Deputy Chief Zittel stated they had previously asked for two members to go to Ulster County for training with the dive team. The last one was canceled. This next one will be in the Esopus on July 24. He stated he normally requests that two people be allowed to go but because of the current state of the country with issues that are happening with swift water this will be a combined training with Dutchess County and Ulster County as well as multiple police agencies to live go-rescues, so he would like to request four members to attend. It would be a one-day training.

Upon a MOTION made by Commissioner Tierney, and SECONDED by Commissioner Pignataro, the Board RESOLVED to allow Deputy Chief Zittel to send four firefighters to the Ulster County Swift water training on July 24, 2025. Pignataro – Aye, Taft -Aye, Tierney – Aye, Komorsky - Aye. **Motion Carried.**

BoFC Regular Meeting 7/08/25

Please note that this meeting was conducted in person at 504 Freedom Plains Road in Poughkeepsie, NY AND open for public viewing and/or listening via Microsoft Teams.



LAGRANGE FIRE DISTRICT

504 Freedom Plains Rd • Poughkeepsie, NY 12603



Commissioner Tierney stated if they come back from these trainings and find there is equipment that they need to please keep the Board apprised. Deputy Chief Zittel stated that they do ask for any equipment when they work on the budget cycle. Commissioner Tierney asked who coordinates if a helicopter is needed for a rescue like they have had in Texas. Deputy Chief Zittel stated it would go through the 911 Center. They have used the sheriff's in the past. Ulster County does get involved with the Coast Guard which is one reason why he wants to keep these training opportunities open. Chairman Komorsky asked if any of the new hires were being introduced to any of these specialty teams and if there would be a need for more wet suits or equipment. Deputy Chief Zittel stated every year he keeps an eye on it and gives a number to Commissioner Ward when they start working on the budget issues as to what they build in to replace equipment or to stay current.

- **Department** –Chairman Komorsky stated there was no one present.
- **Union** – There was no report.

ABSTRACT: \$300,580.02

Upon a MOTION made by Commissioner Tierney and SECONDED by Commissioner Pignataro, the Board RESOLVED to pay the bills for the beginning of July as per the abstract for \$300,580.02. Pignataro – Aye, Taft -Aye, Tierney – Aye, Komorsky - Aye. **Motion Carried.**

PUBLIC COMMENTS:

At 7:06 PM, Chairman Komorsky opened the meeting to public comments. There were none.

At 7:06 PM, Chairman Komorsky closed the public comment section of the meeting.

EXECUTIVE SESSION:

At 7:07 PM, upon a MOTION made by Commissioner Taft and SECONDED by Commissioner Pignataro, the Board RESOLVED to go into Executive Session to discuss two personnel issues from Deputy Chief Zittel, one personnel issue from Deputy Chief Merritt, one contractual item from Commissioner Ward, one personnel from Treasurer Pozniak, one personnel issue from Chairman Komorsky, and one personnel issue from Secretary Le. Pignataro – Aye, Taft -Aye, Tierney – Aye, Komorsky - Aye. **Motion Carried.**

OPEN SESSION:

At 7:36 PM, the Board resumed Open Session.

PREPARE 7/22/25 MEETING AGENDA: Secretary Le will prepare this.

Upon a MOTION made by Chairman Komorsky and SECONDED by Commissioner Tierney, the Board RESOLVED to approve Section 7 of the Truck Contract. Pignataro – Aye, Taft -Aye, Tierney –Aye, Komorsky - Aye. **Motion Carried.**

BoFC Regular Meeting 7/08/25

Please note that this meeting was conducted in person at 504 Freedom Plains Road in Poughkeepsie, NY AND open for public viewing and/or listening via Microsoft Teams.



LAGRANGE FIRE DISTRICT

504 Freedom Plains Rd • Poughkeepsie, NY 12603



Upon a MOTION made by Commissioner Pignataro and SECONDED by Commissioner Tierney, the Board RESOLVED to approve the increase in the Treasurer's hours to 7.5 hours with a 3% rate increase effective 2026. Pignataro – Aye, Taft -Aye, Tierney –Aye, Komorsky - Aye. **Motion Carried.**

ADJOURNMENT:

At 7:38 PM, upon a Motion made by Commissioner Pignataro and SECONDED by Commissioner Tierney, the Board RESOLVED to adjourn the meeting. Pignataro – Aye, Taft -Aye, Tierney – Aye, Komorsky - Aye. **Motion Carried.**





Respectfully submitted by
Julie Beyer on behalf of
Bria Le – District Secretary

Approved by the Board of Fire Commissioners on 7/22/25

BoFC Regular Meeting 7/08/25

Please note that this meeting was conducted in person at 504 Freedom Plains Road in Poughkeepsie, NY AND open for public viewing and/or listening via Microsoft Teams.

VENDOR	Amount Due	PO #	7/8/2025
AMAZON ✓	\$ 341.44	14378	AMAZON PURCHASES
BUCKS COUNTY COMMUNITY COLLEGE ✓	\$ 550.00	5662	FIRE INSTRUCTOR 2-DC FIRE
CENTRAL HUDSON ✓	\$ 1,340.06	14402	STAT 1 ELECTRIC/AREA LIGHT
COMMISSIONER OF FIN REAL PROPERTY TAX ✓	\$ 25.00	14395	ABANDONMENT TO COMBINE PARCELS
COMMISSIONER OF FIN REAL PROPERTY TAX ✓	\$ 15.00	14396	TAX CERTIFICATION TO COMBINE PARCELS
DR. FELICE ✓	\$ 1,250.00	14406	PROFESSIONAL SERVICES
EDBIN SOTO'S PAINTING ✓	\$ 2,000.00	14383	STAT 3 PAINTING DOORS
FLEET PRIDE ✓	\$ 62.38	5436	PARTS FOR 47-32
FRONTIER ✓	\$ 159.24	14413	STAT 1 LOCAL & LONG DIST PHONE SVC
GLOBAL AUTO REPAIR ✓	\$ 563.46	14388	47-85 BRAKE REPAIR
H.G. PAGE ✓	\$ 13.57	5677	BUILDING SUPPLIES
JACKSON LEWIS ✓	\$ 17,862.70	14400	LEGAL SERVICES ENDING MAY 31, 2025
JAMES ROGERS ✓	\$ 387.00	VCH	MEALS & INCIDENTALS-SWIFT WATER TRAINING
JULIE BEYER ✓	\$ 180.00	2025BLE	OFFICE WORK-TRANSCRIPTION
LB LANDSCAPING ✓	\$ 280.00	14412	STAT 3 LAWN MAINTENANCE
M&O SANITATION ✓	\$ 3,600.00	14397	STAT 2 SEPTIC PUMP APRIL
M&O SANITATION ✓	\$ 4,500.00	14398	STAT 2 SEPTIC PUMP MAY
M&O SANITATION ✓	\$ 1,350.00	14399	STAT 2 SEPTIC PUMP JUNE
MEDICAL WAREHOUSE ✓	\$ 279.17	14405	EMS SUPPLIES
MES SERVICE COMPANY ✓	\$ 455.73	14098	UNIFORMS-CAREER
MES SERVICE COMPANY ✓	\$ 477.50	14220	UNIFORMS-CAREER
MES SERVICE COMPANY ✓	\$ 461.00	14249	UNIFORMS-CAREER
MES SERVICE COMPANY ✓	\$ 146.75	14142	UNIFORMS-CAREER
MES SERVICE COMPANY ✓	\$ 695.00	14316	UNIFORMS-CAREER
MES SERVICE COMPANY ✓	\$ 149.25	14147	UNIFORMS-CAREER
MIKE MENDEZ ✓	\$ 387.00	VCH	MEALS & INCIDENTALS-SWIFT WATER TRAINING
NYSHIP ✓	\$ 246,200.26	14414	NYSHIP BENEFITS
O&D ELECTRIC CORP ✓	\$ 7,077.50	14401	STAT 1 ELECTRICAL WORK - RENOVATION
SAFEGUARD ✓	\$ 355.80	14417	OFFICE SUPPLIES
SHERRILL INV/RESCUE DIRECT ✓	\$ 16.49	14292	FIELD OPS GUIDE FOR 1 BACKORDER
STRYKER SALES ✓	\$ 1,371.90	12372	3RD PAYMENT FOR PROCARE SERVICE AGREEMNT
THE WORKPLACE ✓	\$ 653.00	14421	PHYSICALS/CLEARANCE
TOMPKINS ✓	\$ 4,984.01	14424	CC CHARGES
VERIZON ✓	\$ 80.99	14403	STAT 3 FIOS INTERNET SVC
VERIZON ✓	\$ 35.00	14404	MODEM CHARGES
WALLCUR LLC ✓	\$ 1,030.27	14346	EMS TRAINING MATERIAL
WEX BANK ✓	\$ 1,243.55	14430	GAS RECEIPTS

TOTAL SUBMITTED	\$ 300,580.02	Commissioner Signatures:
<i>changes listed:</i>		 07/08/25
		 07/08/25
TOTAL APPROVED		 7/8/25
KEY:		 7/8/25
pre-paid:		
Paid:		

300,580.02
- 40.00 - comm of fin. (2)

300,540.02 ✓ Bal